

experience
more
together

**ZHEJIANG
CFMOTO POWER CO.,LTD**

No. 116, Wuzhou Road, Yuhang Economic Development Zone
Hangzhou 311100, Zhejiang Province.

✉ info@cfmoto.com

media@cfmoto.com

🌐 www.cfmoto.com/global

📘 CFMOTO_Official

📷 cfmotoofficial

📺 CFMOTO



RISE BEYOND
CHALLENGE

CFORCE
850 TOURING

CFORCE
1000 TOURING



CFORCE 1000

WHAT'S NEW

CFORCE 1000 TOURING 90hp/85Nm

CFORCE 850 TOURING 75hp/70Nm

- 305mm / 285mm ground clearance
- 820kg class-leading towing capacity*
- 17% tighter turning radius
- Multiple power modes
- Multiple EPS modes
- Descent Assist Control
- 3500 lb. powerful electric winch
- High-intensity LED lights (max 43000cd)
- 7" TFT / option 8" MMI touchscreen gauge



ENGINE

16% increase in big-bore V-Twin power.

- Heightened performance across full rpm spectrum
- Reinforced cylinder head, enlarged intake and exhaust valves, optimized camshafts for peak efficiency.
- Changed from a single-stage to a dual-stage filter with tangential intake, reducing intake resistance by 45%, improving overall intake efficiency.
- Cooling efficiency upgrade: tailored to accommodate higher-power engine, this upgrade in cooling system ensures exceptional heat dissipation, meeting the demands of superior performance.
- Burst Sensor: address challenges related to EFI-calibrated affects and enhance engine performance.

CFORCE 850 TOURING



CVT TRANSMISSION

Smooth, efficient and longer belt life.

- Primary & Secondary Clutch Enhancement: High-silicon material adopted for heightened durability. Vacuum and high-pressure cast make improved clutch surface harder and wear resistant.
- Extended Center Distance: Increased from 225mm to 260mm for enhanced performance.
- Structural Evolution: Shifted from centrifugal slider to rocker slider design.
- Temperature Sensor: Smart Over-Temperature Reminder: New sensor for intelligent alerts, easily detectable in the gauge.
- Air Intake Optimized.



CFORCE 850 TOURING



1. Increased width, which also allows for bigger tires
2. Hexagon grille complemented by enhanced LED headlight
3. Progressive CFORCE DNA



TECH IMPROVEMENTS

CFORCE 850 TOURING
& 1000 TOURING

—70% components have undergone significant upgrades and optimizations.

experience



CHASSIS

- **Suspension Enhancement:** 35% increase in suspension travel, coupled with a 17% tighter turning radius, for a smoother and agile riding experience.
- **Optimal Approach Angles:** Unbeatable at 90 degrees* for approach.
- **More Capable Damping:** retuned piggyback shock or oil spring damping for a smooth and comfortable ride across diverse terrains.
- **Tire Flexibility:** Break free from tire space limitations with the capability to mount 26-inch, 27-inch tires and even bigger ones.
- **New front sway bar** for enhanced stability.



ELECTRONIC THROTTLE

—Utilization of the torque-based throttle control technology, that brings linear power response.

- **Multiple Power Modes**

Sport Mode: Aggressive throttle response. 100% unlocking of vehicle power.

Work Mode: Linear throttle response. Balanced and easy to control. Suitable for most scenarios.

Normal Mode: Smooth power output curve. Facilitates easy completion of daily work. response.

- **Triple Modes Power Steering (EPS)**

Min: Corresponds to Sport mode, delivering a responsive and dynamic driving experience.

Mid: Corresponds to Normal mode, ensuring a balanced and versatile response.

Max: Corresponds to Work mode, providing optimal power output for efficient task completion.



- **Electronic Descent Assist Control (DAC)**



CFORCE 850 TOURING
& 1000 TOURING



ENHANCE YOUR RIDE EXPERIENCE

Ride and work with confidence knowing you have the top specifications and technology.

1. High-intensity LED lights (max output 43000cd)
2. 7-inch TFT gauge / 8-inch MMI touchscreen with Apple CarPlay connectivity
3. Gear shift to the right side
4. Legs spacing narrowed by 11mm
5. CF-connect front and rear racks
6. 3500lb electric winch
7. Multiple electricity portals
8. 3.8L glove box
9. Premium comfort passenger seat
10. Dual-Muffler Exhaust



CFORCE 850 TOURING

VARIATION

CFORCE 850 TOURING

CFORCE 1000 TOURING



**CFORCE 850
TOURING**



**CFORCE 850
TOURING - premium**



**CFORCE 1000
TOURING**



**CFORCE 1000
TOURING - premium**

Shock absorber

Oil-shock-absorbers

+ Piggyback gas-shock-absorbers

Piggyback gas-shock-absorbers

+ Piggyback gas-shock-absorbers

Wheels

14-inch alloy rims

+ 14-inch Beadlock alloy rims

14-inch alloy rims

+ 14-inch Beadlock alloy rims

Tires

26-inch tires

+ 27-inch tires

27-inch tires

+ 27-inch tires

Gauge

7-inch TFT

+ 8-inch MMI touchscreen gauge
or 7-inch TFT

7-inch TFT

+ 8-inch MMI touchscreen gauge
or 7-inch TFT

COLORS

Tundra Grey, Lava Orange,
TT Camo



Tundra Grey with red rims and
shock absorber spring

Tundra Grey, Lava Orange,
TT Camo



Zircon Black with orange rims and
shock absorber spring



CFORCE 850 TOURING

CFORCE 1000 TOURING

CFORCE 850 TOURING

CFORCE 1000 TOURING

ENGINE

Engine Type	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve
Displacement	800cc
Fuel System	Bosch EFI
Power Modes	Sport/Normal/Work
Maximum Power	75hp@7500rpm
Maximum Torque	70Nm@5500

V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve
963cc
Bosch EFI
Sport/Normal/Work
90hp@7500rpm
85Nm@5500

DRIVETRAIN

Transmission	CVT, P-R-N-H-L
4WD	2WD/4WD/4WD Lock (front differential)
Downhill Assist Control	Equipped
Steering	Triple-Mode EPS

CVT, P-R-N-H-L
2WD/4WD/4WD Lock (front differential)
Equipped
Triple-Mode EPS

SUSPENSION

Front Suspension	High clearance A-arm independent, 230mm travel
Rear Suspension	Trailing arm independent, 236mm travel Coil spring shock absorbers
Shocks	with oil dampening

High clearance A-arm independent, 230mm travel
Trailing arm independent, 236mm travel Piggyback gas shock absorbers, compression/rebound adjustable

BRAKES

Front / Rear Brakes	Four-wheel hydraulic disc brakes, single-piston caliper
---------------------	---

Four-wheel hydraulic disc brakes, single-piston caliper
--

TIRES AND WHEELS

Front Tyres	26X8.00-14
Rear Tyres	26X10.00-14
Wheels	14-inch alloy

27X9.00-14
27X11.00-14
14-inch alloy

DIMENSION

Wheelbase
Ground Clearance
Turning Diameter
Curb Weight
Overall Vehicle Size (LxWxH)
Front/Rear Rack Carrying Capacity
Payload Capacity
Towing Capacity
Fuel Capacity
Seating Capacity

1480mm
285mm
6.7m
465kg
2445 x 1264 x 1450mm
45kg/90kg
300kg
820kg / 800kg EU
26L
Two, independent passenger seat with handgrips

1480mm
305mm
6.7m
472kg (not included beadlock)
2445 x 1282 x 1465mm
45kg/90kg
300kg
820kg / 800kg EU
26L
Two, independent passenger seat with handgrips

FEATURES

Cargo System
Lighting
Winch
Instrumentation
Other Standard Features

CF-Connect cargo system, with convertible racks
Full LED lighting
3500lb electric winch
7-inch TFT
Dual-Exhaust-Muffler, handguards, 3.8L glove box, dual power sockets

CF-Connect cargo system, with convertible racks
Full LED lighting
3500lb electric winch
7-inch TFT
Dual-Exhaust-Muffler, handguards, 3.8L glove box, dual power sockets

COLORS

Tundra Grey, Lava Orange, TT Camo Premium-spec color; Tundra Grey (red rims & shock springs)
--

Tundra Grey, Lava Orange, TT Camo Premium-spec color: Zircon Black (orange rims & shock springs)
--

Front Windshield

Accessory Code: 9AWV-805100-8000

Features:

- Made of impact-resistant 5mm thickness Acrylic
- Stable, quiet at low/speed riding condition
- UV and weather endurance with no yellowing
- Driver wind protection
- Excellent visibility
- Easy to install



Front Bumper Assembly

Accessory Code: 9AWV-801100-8000

Features:

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Anti-corrosion coating with durable coat finish
- Compatible with winch system and plow system

** LED lights and the mounting brackets need to be purchased separately.



Rear Bumper Assembly

Accessory Code: 9AWV-801200-8000

Features:

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Taillight protection
- Anti-corrosion coating with durable coat finish
- Compatible with hitch system



Accessory Code: 9AWV-801300-8000

Features:

- Steel Tube Diameter: $\varnothing 22$ mm
- Durable, E-coated with black powder coat
- Perfectly fits on CFORCE 850 Touring / CFORCE 1000 Touring, Easy to install
- Helps keep cargo securely in place



For a full list of accessory products, please refer to the CFMOTO accessory catalog for selection.

Passenger Gauntlet Assembly

Accessory Code: 85214G-00001

Features:

- Outer made of Canvas, Inside made of polyester fiber
- Keep passenger's hands warm in the cold weather
- With Velcro and snap-fit, easy to install and remove

** apply to CFORCE 625 Touring, CFORCE 850 TOURING and CFORCE 1000 TOURING.



HDPE Skid Plate Assembly

Accessory Code: 9AWV-806100-8000

Features:

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability, High impact strength
- HDPE skid plate assembly can work with aluminum A-Arm protectors (9AWV-806300-8000) to provide a full protection to your vehicle bottom. (Aluminum A-Arm Protectors need to be purchased separately.)
- Offering great protection in rough terrain



Aluminum Skid Plate Assembly

Accessory Code: 9AWV-806200-8000

Features:

- Made of high strength aluminum (thickness 4mm)
- Ultimate durability, High impact strength
- Aluminum skid plate can work with aluminum A-Arm protectors (9AWV-806300-8000) to provide a full protection to your vehicle bottom. (Aluminum A-Arm Protectors need to be purchased separately.)
- Offering great protection in rough terrain



Aluminum A-Arm Protectors

Accessory Code: 9AWV-806300-8000

Features:

- Made of high strength aluminum (thickness 4mm)
- Ultimate durability, High impact strength
- Aluminum A-Arm Protectors can work with HDPE skid plate (9AWV-806100-8000) or Aluminum skid plate (9AWV-806200-8000) to provide a full protection to your vehicle bottom. (skid plates need to be purchased separately.)
- Offering great protection in rough terrain



*Photos are for illustrative purposes only. Specs to change without notice. Subject to material object. Details in store.

*Photos are for illustrative purposes only. Specs to change without notice. Subject to material object. Details in store.



Front Basket Assembly

Accessory Code: 9DQV-802100-3000

Features:

- Perfectly fit on CFORCE 850 Touring & CFORCE 1000 Touring
- Large storage capacity can take 3 open face helmets
- Have 7 rope holes/handgrip holes on the basket
- Stylish look, Heavy duty plastic
- With CF Connect, Easy to install and remove, Tool-less
- Work with CFMOTO Tool Holder, can take more tools

**need to order 4 CFConnect Base (9DQV-809100-3000) with the front basket for CFORCE 400 S / 400 Touring and CFORCE 500 S / 500 Touring and CFORCE 850 Touring / CFORCE 1000 Touring.



Front Cargo Box Assembly New lock latch

Accessory Code: 9DQV-806200-3001

Features:

- Large storage capacity (14 Gallons, 54 Liters)
- Stylish look, Heavy duty plastic.
- The lid can be lifted by spring support, no fall down.
- With CFConnect, Easy to install and un-install, Tool-less.
- With water seal on the lid and No mounting holes inside of the box, a perfect water tight seal.
- The box bottom has draining hole for easy cleaning the inside of the box.
- Perfectly fit on CFORCE 850 Touring & CFORCE 1000 Touring.

**need to order 4 CFConnect Base (9DQV-809100-3000) with the front cargo box for CFORCE 400 S / 400 Touring and CFORCE 500 S / 500 Touring and CFORCE 850 Touring / CFORCE 1000 Touring.



Cargo Box Assembly Plastic latch


Accessory Code: 9DQV-806100-3001

Cargo Box Assembly New Lock latch


Accessory Code: 9DQV-806100-3003

Features:

- Large storage capacity (26 Gallons, 100 Liters) can take 3 open face helmets
- Lockable lid, Stylish look, Heavy duty plastic
- With CF Connect, Easy to install and un-install, Tool-less
- No mounting holes inside of the cargo box, a perfect Water tight seal
- With draining hole, easy to clean the inside of cargo box.



Plastic latch



New Lock latch

**the reserved mounting holes on box cover can be used to installed hooks for attaching ropes to tie down bags or some items on box cover.

**The code of the hook illustrated in the following pictures is 5BWV-230530-5000, not included the washer and M6 Bolt. Please order hooks as your need.



*Photos are for illustrative purposes only. Specs to change without notice. Subject to material object. Details in store.

Cooler Box Assembly

Accessory Code: 9CQV-806800-3000

Features:

- 46L (12 U.S. gallon) cooler box.
- With CFConnect clamps, cooler box can be easily installed and un-installed.
- Rotomolded construction provides extreme rigidity and durability.
- Good seal and premium-quality foam insulation can ensure optimal ice retention.
- One removable compartment protects food.
- Use 2 robust rubber latches ensure the cover tightly closed.
- One drain plug can drain liquid from the cooler box easily.

**This cooler box can be installed on CFORCE 520 / 520 L and CFORCE 850 Touring & CFORCE 1000 Touring.

**This cooler box can be installed on UFORCE 600 which equipped front rack. But Consumer's front sight will be affected by the box. So consumers can order the cooler box as their need.



Canvas Storage Bag

Accessory Code: 9DS#-809200-6000

Features:

- This canvas storage bag includes 5 individual storage spaces and 1 portable bag.
- The main storage bag can be divided into 3 pcs spaces by dividers.
- IPX4 waterproof
- Large capacity 99L

**It could be used on CFMOTO with rear rack extender.



*Photos are for illustrative purposes only. Specs to change without notice. Subject to material object. Details in store.

